

Water-oil Dual Extract Dual-layer Essence

Formula composition:

XY260327-1

No.	Phase	Trade name	INCI	%	Supplier	Note
1	A	Vitasterol S-80 EST	PHYTOSTERYL OLEATE, TOCOPHEROL, ASCORBYL PALMITATE, PHYTOSTEROLS	0.04		Skin Conditioning
2		ZeniOil CER101	CYPERUS ESCULENTUS ROOT OIL	10.46	GREENZN	Emollient
3		Squalane	SQUALANE	0.20		Emollient
4		ZeniOil SSO	SI LYBUM MARIANUM SEED OIL, SI LYBIN	0.20	GREENZN	Antioxidant
5		ZeniOil PVS 103	PLUKENETIA VOLUBILIS SEED OIL	0.20		Humectant
6		2EHP	ETHYLHEXYL ISOPALMITATE	3.00		Emollient
7		Isopar L	ISODODECANE	1.60		Emollient
8		Jojo ba seed oil	SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL	0.10		Humectant
9		GTCC	CAPRYLIC/CAPRIC TRIGLYCERIDE	4.00		Emollient
10		86322938	PARFUM	0.20		Parfum
11	B	Water Replent	CENTELLA ASIATICA LEAF EXTRACT, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE	70.88		Antioxidant
12		EG-1	GLYCERETH-26	2.40		Emollient
13		Butylene Glycol	BUTYLENE GLYCOL	4.00		Humectant

Disclaimer:

1 / 2

This recipe is for reference only. Due to many uncontrollable factors such as raw material source, batch differences, production process and operating procedures, GreenZn cannot guarantee the stability and usability of this formula in any form. Before using this formula, the customer is obliged to carry out the necessary laboratory review and stability testing, and bear the corresponding responsibility. GreenZn only guarantees the quality of raw materials sold under the company's brand appearing in the formula, as detailed in the corresponding submission materials, TDS and COA.

No.	Phase	Trade name	INCI	%	Supplier	Note
14		AroHydro-PHP	HYDROXYACETOPHENONE	0.24		Antioxidant
15	C	NACL	SODIUM CHLORIDE	0.40		Emulsion Stabilizer
16		Niacinamide	NIACINAMIDE	0.80		Antioxidant
17		WILBRIDE S-753D	PEG/PPG/POLYBUTYLENE GLYCOL-8/5/3 GLYCERIN	0.80		Emollient
18		AroHydro-H	1,2-HEXANEDIOL	0.48		Humectant

Process:

1. Heat S-80 of Phase A to 65°C to dissolve, then add the remaining Phase A raw materials and stir until transparent. Set aside for later use.
2. Take another beaker, heat Phase B and stir to dissolve until homogeneous. Cool down to 45°C under stirring.
3. Add Phase C and stir until homogeneous.

Disclaimer:

2 / 2

This recipe is for reference only. Due to many uncontrollable factors such as raw material source, batch differences, production process and operating procedures, GreenZn cannot guarantee the stability and usability of this formula in any form. Before using this formula, the customer is obliged to carry out the necessary laboratory review and stability testing, and bear the corresponding responsibility. GreenZn only guarantees the quality of raw materials sold under the company's brand appearing in the formula, as detailed in the corresponding submission materials, TDS and COA.