

## 7% GDActive Conopeptide Solution

### Formula composition:

XY260603-2

| No. | Phase    | Trade name                        | INCI                                                                                                | %           | Supplier       | Note                                |
|-----|----------|-----------------------------------|-----------------------------------------------------------------------------------------------------|-------------|----------------|-------------------------------------|
| 1   | <b>A</b> | Water                             | WATER                                                                                               | 87.86       |                | Solvent                             |
| 2   |          | Butylene Glycol                   | BUTYLENE GLYCOL                                                                                     | 2.00        |                | Moisturizing                        |
| 3   |          | PG USP                            | PROPYLENE GLYCOL                                                                                    | 2.00        |                | Moisturizing                        |
| 4   |          | Carbopol® 940                     | CARBOMER                                                                                            | 0.12        |                | Thickener                           |
| 5   |          | AroHydro-PHP                      | HYDROXYACETOPHENONE                                                                                 | 0.30        |                | Antioxidant                         |
| 6   | <b>B</b> | Arginine                          | ARGININE                                                                                            | 0.12        |                | pH Adjuster                         |
| 7   | <b>C</b> | AroHydro-H                        | 1,2-HEXANEDIOL                                                                                      | 0.60        |                | Moisturizing                        |
| 8   |          | <b>GDActive<br/>Conopeptide-L</b> | <b>WATER, ARGININE/LYSINE POLYPEPTIDE, PENTYLENE<br/>GLYCOL, 1,2-HEXANEDIOL, ETHYLHEXYLGLYCERIN</b> | <b>7.00</b> | <b>GREENZN</b> | <b>Anti-aging,<br/>Anti-wrinkle</b> |
| 9   |          | 274545                            | PARFUM                                                                                              | 0.005       |                | Parfum                              |
| 10  |          | CO40                              | HYDROGENATED CASTOR OIL                                                                             | 0.05        |                | Solubilizer                         |

### Process:

1. Heat Phase A to 80°C and stir until fully dissolved. Homogenize until lump-free.
2. Cool Phase A to room temperature, then add Phase B under stirring.
3. Keep stirring, add Phase C, and mix well.

### Disclaimer:

1 / 1

This recipe is for reference only. Due to many uncontrollable factors such as raw material source, batch differences, production process and operating procedures, GreenZn cannot guarantee the stability and usability of this formula in any form. Before using this formula, the customer is obliged to carry out the necessary laboratory review and stability testing, and bear the corresponding responsibility. GreenZn only guarantees the quality of raw materials sold under the company's brand appearing in the formula, as detailed in the corresponding submission materials, TDS and COA.